

**TERREBONNE PARISH CONSOLIDATED GOVERNMENT**

**BAYOU TERREBONNE DREDGING PROJECT  
PHASE 2, 4 & 5  
PARISH PROJECT NO. 21-DRA-10  
DOTD PROJECT NO. H.009237**

\*\*\*\*\*

**ADDENDUM NO. 2**

**Date Issued: April 9, 2026**

\*\*\*\*\*

This Addendum No. 2 shall be part of the above referenced project.

Acknowledge receipt of this Addendum No. 2 by inserting its number in the space provided in the Louisiana Uniform Public Work Bid Form of the Request for Proposals. Failure to do so may subject the bidder to disqualification.



Kevan D. Keiser, P.E.  
GIS Engineering, LLC

---

**TERREBONNE PARISH CONSOLIDATED GOVERNMENT**

**BAYOU TERREBONNE DREDGING PROJECT**

**PHASE 2, 4, & 5**

**PARISH PROJECT NO. 21-DRA-10**

**DOTD PROJECT NO. H.009237**

This Addendum is issued for the purpose of modifying, clarifying, or revising, as applicable, the specified items of the original Contract Documents. It is also issued for the purpose of adding, as applicable, the attached specified items to the original Contract Documents, or deleting, as applicable, the attached specified items from the original Contract Documents. The Addendum and attachments shall be construed as much a part of the original Contract Documents as contained therein. Changes made by Addenda shall take precedence over original Contract Documents.

**GENERAL ANNOUNCEMENT**

**PART I – WRITTEN CONTRACTORS QUESTIONS**

**PART II - MODIFICATIONS TO CONTRACT DOCUMENTS, TECHNICAL SPECIFICATION, PLANS, AND OTHER DOCUMENTS**

Modifications to Contract Documents, Technical Specifications and Drawings.

**PART III – ATTACHMENTS**

1. Section C – Louisiana Uniform Public Works Bid Form (Revised as per Addendum No. 2)
2. Technical Specification 201 – Clearing and Grubbing (Revised as per Addendum No. 2)
3. Access Locations Used by Geotechnical Firm (Provided as per Addendum No. 2)

## **PART I – Written Contractors’ Questions**

*NOTE – The responses presented in PART I may differ from those presented in the Pre-Bid Conference. The responses in PART I are current as of the date of this Addendum and if different supersede those provided at the Pre-Bid Conference or any previous addenda.*

### **Contractors’ General Questions Received**

- 1. Can willow trees and/or small trees be cleared in the locations where material will be loaded out?**

Response: Yes.

- 2. What is the stability of the existing bulkheads? Is there any certain distance from the bulkhead the dredging needs to stop?**

Response: Stability of privately-owned, existing bulkheads is unknown. Provide a buffer zone of 15’ at existing bulkheads.

- 3. Regarding Question 9 in Addendum 1, please provide the engineer's estimate of how much of the line items for Clearing and Grubbing will be paid in Phase 4 and Phase 5 as the actual removal quantity varies depending on the contractor's interpretation versus the engineer's onsite representation.**

Response: The unit of measure for all of the Clearing and Grubbing Bid Items is being revised from Linear Feet to Lump Sum in an effort to aid the contractor in developing their bid price for the Clearing and Grubbing work. Please see revised Unit Price Bid Form provided in Part III of this Addendum.

- 4. Please differentiate between "Clearing and Grubbing" items and "Removal of Trees, Leaners and Hangers," and explain how these items will be quantified for payment. Is "Clearing and Grubbing" strictly limited to grassy vegetation on the canal banks and floating in the canal? If this is the intent of "Clearing and Grubbing," will grass beyond the excavation limits be required to be removed, or only vegetation within the required cut template? Will areas requiring no excavation need to be "Cleared and Grubbed"? If Clearing and Grubbing is intended beyond the excavation limits, please clarify the actual "limits" of Bayou Terrebonne. Are the limits the edge of the mean water level in the bayou, or are they the high bank of the slope? Will the contractor be required to remove all vegetation within these limits with the exception of trees designated to remain? If a tree does not lean more than 45 degrees, should we assume it will remain standing regardless of its size?**

Response: Both bid items will now be Lump Sum. The intent of the project is to clear the water bottom of vegetation. The bankline should also be cleared of bushes, shrubs as well as all trees that have fallen or are leaning into the Bayou by 45 degrees or more from vertical or that prevent the Contractor from dredging operations as well as the Owner from maintenance operations. Trees that are vertical and larger than 4” in diameter shall remain in bankline. Debris along the bankline to be removed shall be to the top of the bankline. Any rip rap, bulkheads, docks, etc should remain on the bankline. Any tires, trash, etc shall be removed from the bankline. Drawing G-04 shows the general limits of clearing and grubbing.

5. **The clearing and grubbing spec states, "All debris from clearing and grubbing operations not retained by the contractor shall be hauled off and disposed of at the Ashland Landfill." Addendum 1 states that this material becomes the contractor's property. Will this material still require disposal at the Ashland Landfill? Please clarify whether the owner is responsible for tipping fees if these materials are disposed of at the Ashland Landfill, or if the owner will only pay tipping fees for dredged material? Addendum 1, Sheet G-05 provides a possible vegetation tree disposal area. If the contractor utilizes the area, will the owner pay the tipping fees or will any fees be incurred? Will the contractor be responsible for the management of this vegetative waste? If so, what expectations should the contractor assume at this site?**

Response: The material that must be disposed of at Ashland is the earthen dredge material. The environmental permits require that this dredge material be disposed of at Ashland. There will be no fees for the disposal of this material. However, the Contractor must provide equipment and labor to spread and grade the material disposed of at Ashland Landfill. The equipment and labor for shaping and grading at the landfill will not be measured for payment. Contractor will include this cost in the unit price for dredging.

All other debris (trees, refrigerators, tires, etc) that may or may not be present will become the property of the Contractor. The Contractor will have to remove these items from the project site and dispose of in accordance with all applicable laws and regulations. There will be costs associated with the disposal of these items. Contractor shall include these fees in the bid items for Removal of Structures/Obstructions or Clearing and Grubbing.

6. **Can the engineer provide a map showing lands that are public property or the owner's property along the project limits?**

Response: No. The Contractor can use the Terrebonne Parish GIS Map as a guide for what properties may be public and which may be private. The website is <https://tpcg.org/GIS>.

7. **Can the engineer provide specific right-of-way limits for Bayou Terrebonne along the project's three phases? Is the contractor permitted to use the entire right-of-way limits, excluding access to the right-of-way which the contractor must obtain?**

Response: Contractor should stay within the Bayou Terrebonne from top of bank line to top of bank line. However, Contractor should not touch any bulkheads or docks prior to written approval from Engineer. Contractor may obtain right-of-way to go beyond these limits.

8. **Please provide the acceptance parameters for the dredged material stockpile at Ashland Landfill stockpile location.**

Response: Only earthen material free from vegetation dredged from Bayou Terrebonne shall be stockpiled at Ashland Landfill. The Contractor must provide equipment and labor to spread and grade the material disposed of at Ashland Landfill. The equipment and labor will not be measured for payment. Contractor will include this cost in the unit price for dredging. The material shall be limited to disposal in the area shown on Drawing G-05 Disposal Site. The material shall be spread and graded to drain towards the existing drainage ditch that cannot be filled with disposal material.

**9. Will the Contractor be responsible for removing the silt fencing at the Ashland Landfill stockpile location?**

Response: Yes.

**10. Please confirm that the contractor will not be required to remove or relocate any existing active or abandoned utilities.**

Response: The contractor will not be required to remove or relocate any existing, active or abandoned utilities.

**11. Please confirm that no underground obstructions will require removal outside the prescribed dredge template.**

Response: Structures and obstructions in the water bottom should be removed from the project. Contractor will not remove structures on the bankline such as rip rap, bulkheads, culverts, etc. but will remove debris, tires, shopping carts, trees, etc from the bankline.

**12. Addendum 1, Question 4, states: "The engineer is provide a list of access points used previously by the Geotech firm." I do not see this list provided in the addendum documents or Geotech report. Please provide the list.**

Response: Please see Part III of this Addendum.

**13. It was stated at the pre-bid conference that the Inspector's field office may not be required. Will this be a requirement? If so, can the engineer provide the field office location? Will the utilities required by the contract be available at this site? Will the contractor incur any fees for utilization of this site or utilities?**

Response: The Inspector's Field Office will not be required for this project.

**14. Will the contractor be required to document the entire haul route from Phase 5 northern extents to the Ashland Landfill?**

Response: Yes.

**15. Will a third party P.L.S. be required if the contractor has a P.L.S. on staff?**

Response: Specifications require a P.L.S. certify the survey submittals. It is up to the Contractor to choose whom they will use for this service.

**16. Will a third party be required for pre-construction video recording and documentation?**

Response: The Contractor is required to submit the pre-construction video that meets the required specifications. It is up to the Contractor to choose whom they will use for this service.

**17. Will the project be awarded if all bids exceed the engineer's estimated project budget?**

Response: The Owner will make this decision based upon received bids and available funding.

**18. Please confirm the contractor will not be liable for any "damages" to public roadways used for hauling operations where legal loads are transported to the stipulated disposal location.**

Response: Contractor will be required to repair damages directly caused by Contractor and its operations. Contractor should be cognizant of local load limits and work in a manner as to not damage public roadways.

**19. Are there any SWPP requirements within Bayou Terrebonne itself? (turbidity curtains, check dams, silt fencing, etc.)**

Response: There are no requirements for turbidity control, check dams, silt fencing, etc within the Bayou itself. However, Contractor must eliminate mud and debris from vehicles and other machinery so as not to spill or track onto public roads. Contractor must provide silt fencing at Ashland Landfill to prevent filling in drainage ditch.

**20. Will the contractor be permitted to perform work simultaneously in multiple locations/phases? Can the contractor work multiple crews?**

Response: Means and methods are the responsibility of the contractor. The contractor will be allowed to work in multiple locations.

**21. Will partial acceptance be granted for completed areas instead of accepting the entire phase?**

Response: Progress payments will be made based upon monthly pay application submittals. However, no partial acceptance will be granted. Entire phases will be accepted as they are completed.

**22. In the areas where no dredging is required or allowed, do cross sections and profile line data need to be surveyed.**

Response: Yes, the plan and profile and cross-sections will be required throughout the project alignments.

## **PART II – Modifications to Contract Documents, Technical Specifications, Plans, and Other Documents**

### Contract Documents:

1. Section C – Louisiana Uniform Public Works Bid Form
  - a. Please remove and replace with the revised Bid Form provided in Part III of this Addendum.

### Technical Specifications:

1. Section 201 – Clearing and Grubbing
  - a. Please remove and replace with the revised Section 201 provided in Part III of this Addendum.

### Plans:

NONE

---

**PART III - ATTACHMENTS**

**Revised Section C – Louisiana Uniform Public Works Bid Form**

---

**SECTION C**  
**LOUISIANA UNIFORM PUBLIC WORK BID FORM**

**TO:** Terrebonne Parish Consolidated Government  
City of Houma Service Complex  
301 Plant Road  
Houma, LA 70363  
*(Owner to provide name and address of owner)*

**BID FOR:** Bayou Terrebonne Dredging  
Phases 2, 4, & 5  
Project No. 21-DRA-10  
DOTD Proj. No. H.009237  
*(Owner to provide name of project and other identifying information)*

The undersigned bidder hereby declares and represents that she/he; a) has carefully examined and understands the Bidding Documents, b) has not received, relied on, or based his bid on any verbal instructions contrary to the Bidding Documents or any addenda, c) has personally inspected and is familiar with the project site, and hereby proposes to provide all labor, materials, tools, appliances and facilities as required to perform, in a workmanlike manner, all work and services for the construction and completion of the referenced project, all in strict accordance with the Bidding Documents prepared by: GIS Engineering, LLC and dated: March 2026  
*(Owner to provide name of entity preparing bidding documents.)*

Bidders must acknowledge all addenda. The Bidder acknowledges receipt of the following **ADDENDA:** (Enter the number the Designer has assigned to each of the addenda that the Bidder is acknowledging) \_\_\_\_\_ .

**TOTAL BASE BID:** For all work required by the Bidding Documents (including any and all unit prices designated "Base Bid" \* but not alternates) the sum of:  
\_\_\_\_\_ Dollars (\$ \_\_\_\_\_)

**ALTERNATES:** For any and all work required by the Bidding Documents for Alternates including any and all unit prices designated as alternates in the unit price description.

**Alternate No. 1** *(Owner to provide description of alternate and state whether add or deduct)* for the lump sum of:  
\_\_\_\_\_ N/A \_\_\_\_\_ Dollars (\$ \_\_\_\_\_ N/A \_\_\_\_\_)

**Alternate No. 2** *(Owner to provide description of alternate and state whether add or deduct)* for the lump sum of:  
\_\_\_\_\_ N/A \_\_\_\_\_ Dollars (\$ \_\_\_\_\_ N/A \_\_\_\_\_)

**Alternate No. 3** *(Owner to provide description of alternate and state whether add or deduct)* for the lump sum of:  
\_\_\_\_\_ N/A \_\_\_\_\_ Dollars (\$ \_\_\_\_\_ N/A \_\_\_\_\_)

**NAME OF BIDDER:** \_\_\_\_\_

**ADDRESS OF BIDDER:** \_\_\_\_\_

**LOUISIANA CONTRACTOR'S LICENSE NUMBER:** \_\_\_\_\_

**NAME OF AUTHORIZED SIGNATORY OF BIDDER:** \_\_\_\_\_

**TITLE OF AUTHORIZED SIGNATORY OF BIDDER:** \_\_\_\_\_

**SIGNATURE OF AUTHORIZED SIGNATORY OF BIDDER \*\*:** \_\_\_\_\_

**DATE:** \_\_\_\_\_

**THE FOLLOWING ITEMS ARE TO BE INCLUDED WITH THE SUBMISSION OF THIS LOUISIANA UNIFORM PUBLIC WORK BID FORM:**

- \* The Unit Price Form shall be used if the contract includes unit prices. Otherwise it is not required and need not be included with the form. The number of unit prices that may be included is not limited and additional sheets may be included if needed.
- \*\* **A CORPORATE RESOLUTION OR WRITTEN EVIDENCE** of the authority of the person signing the bid for the public work as prescribed by LA R.S. 38:2212(B)(5).

**BID SECURITY** in the form of a bid bond, certified check or cashier's check as prescribed by LA RS 38:2218(A) attached to and made a part of this bid.

**SECTION C**  
**LOUISIANA UNIFORM PUBLIC WORK BID FORM**  
**UNIT PRICE FORM**

**TO:** Terrebonne Parish Consolidated Government  
City of Houma Service Complex  
301 Plant Road  
Houma, LA 70363  
*(Owner to provide name and address of owner)*

**BID FOR:** Bayou Terrebonne Dredging  
Phases 2, 4, & 5  
Project No. 21-DRA-10  
\_\_\_\_\_  
*(Owner to provide name of project and other identifying information)*

**UNIT PRICES:** This form shall be used for any and all work required by the Bidding Documents and described as unit prices. Amounts shall be stated in figures and only in figures.

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid or <input type="checkbox"/> Alt.# <u>N/A</u> Mobilization and Demobilization			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION ( <i>Quantity times Unit Price</i> )
727-01	1	LUMP SUM		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid or <input type="checkbox"/> Alt.# <u>N/A</u> Mechanical Dredging (Phase 2: Sta. 10+67 to Sta. 84+50; includes hauling and disposal of dredged material at landfill)			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION ( <i>Quantity times Unit Price</i> )
312300-01	1,288	CUBIC YARDS		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid or <input type="checkbox"/> Alt.# <u>N/A</u> Mechanical Dredging (Phase 4: Sta. 400+00 to Sta. 486+50; includes hauling and disposal of dredged material at landfill)			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION ( <i>Quantity times Unit Price</i> )
312300-02	21,896	CUBIC YARDS		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid or <input type="checkbox"/> Alt.# <u>N/A</u> Mechanical Dredging (Phase 5: Sta. 500+00 to Sta. 899+00; includes hauling and disposal of dredged material at landfill)			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION ( <i>Quantity times Unit Price</i> )
312300-03	49,290	CUBIC YARDS		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid or <input type="checkbox"/> Alt.# <u>N/A</u> Clearing & Grubbing (Phase 2: Sta. 10+67 to Sta. 122+00; includes hauling and disposal of material at landfill)			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION ( <i>Quantity times Unit Price</i> )
201-01	1	LUMP SUM		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid or <input type="checkbox"/> Alt.# <u>N/A</u> Clearing & Grubbing (Phase 4: Sta. 400+00 to Sta. 486+50; includes hauling and disposal of material at landfill)			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION ( <i>Quantity times Unit Price</i> )
201-02	1	LUMP SUM		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid or <input type="checkbox"/> Alt.# <u>N/A</u> Clearing & Grubbing (Phase 5: Sta. 500+00 to Sta. 899+00; includes hauling and disposal of material at landfill)			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION ( <i>Quantity times Unit Price</i> )
201-03	1	LUMP SUM		

**Wording for "DESCRIPTION" is to be provided by the Owner. All quantities are estimated. The contractor will be paid based upon actual quantities as verified by the Owner**

**SECTION C**  
**LOUISIANA UNIFORM PUBLIC WORK BID FORM**  
**UNIT PRICE FORM**

**TO:** Terrebonne Parish Consolidated Government  
City of Houma Service Complex  
301 Plant Road  
Houma, LA 70363  
*(Owner to provide name and address of owner)*

**BID FOR:** Bayou Terrebonne Dredging  
Phases 2, 4, & 5  
Project No. 21-DRA-10  
*(Owner to provide name of project and other identifying information)*

**UNIT PRICES:** This form shall be used for any and all work required by the Bidding Documents and described as unit prices. Amounts shall be stated in figures and only in figures.

DESCRIPTION: <input checked="" type="checkbox"/> Base Bid or <input type="checkbox"/> Alt.# <u>N/A</u> Removal of Structures and Obstructions (Phase 2: Sta. 10+67 to Sta. 122+00; includes hauling and disposing at landfill)				
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION ( <i>Quantity times Unit Price</i> )
202-01	1	LUMP SUM		

DESCRIPTION: <input checked="" type="checkbox"/> Base Bid or <input type="checkbox"/> Alt.# <u>N/A</u> Removal of Structures and Obstructions (Phase 4: Sta. 400+00 to Sta. 486+50; includes hauling and disposing at landfill)				
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION ( <i>Quantity times Unit Price</i> )
202-02	1	LUMP SUM		

DESCRIPTION: <input checked="" type="checkbox"/> Base Bid or <input type="checkbox"/> Alt.# <u>N/A</u> Removal of Structures and Obstructions (Phase 5: Sta. 500+00 to Sta. 899+00; includes hauling and disposing at landfill)				
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION ( <i>Quantity times Unit Price</i> )
202-03	1	LUMP SUM		

DESCRIPTION: <input checked="" type="checkbox"/> Base Bid or <input type="checkbox"/> Alt.# <u>N/A</u> Removal of Trees Leaners & Hangers (Phase 2: Sta. 10+67 to Sta. 122+00; includes hauling and disposing at landfill)				
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION ( <i>Quantity times Unit Price</i> )
201-04	1	LUMP SUM		

DESCRIPTION: <input checked="" type="checkbox"/> Base Bid or <input type="checkbox"/> Alt.# <u>N/A</u> Removal of Trees Leaners & Hangers (Phase 5: Sta. 500+00 to Sta. 570+00; includes hauling and disposing at landfill)				
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION ( <i>Quantity times Unit Price</i> )
201-05	1	LUMP SUM		

DESCRIPTION: <input checked="" type="checkbox"/> Base Bid or <input type="checkbox"/> Alt.# <u>N/A</u> Construction Layout (Phase 2)_____				
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION ( <i>Quantity times Unit Price</i> )
740-01	1	LUMP SUM		

DESCRIPTION: <input checked="" type="checkbox"/> Base Bid or <input type="checkbox"/> Alt.# <u>N/A</u> Construction Layout (Phase 4)_____				
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION ( <i>Quantity times Unit Price</i> )
740-02	1	LUMP SUM		

DESCRIPTION: <input checked="" type="checkbox"/> Base Bid or <input type="checkbox"/> Alt.# <u>N/A</u> Construction Layout (Phase 5)_____				
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION ( <i>Quantity times Unit Price</i> )
740-03	1	LUMP SUM		

**Wording for "DESCRIPTION" is to be provided by the Owner. All quantities are estimated. The contractor will be paid based upon actual quantities as verified by the Owner**

**SECTION C**  
**LOUISIANA UNIFORM PUBLIC WORK BID FORM**  
**UNIT PRICE FORM**

**TO:** Terrebonne Parish Consolidated Government  
City of Houma Service Complex  
301 Plant Road  
Houma, LA 70363  
*(Owner to provide name and address of owner)*

**BID FOR:** Bayou Terrebonne Dredging  
Phases 2, 4, & 5  
Project No. 21-DRA-10  
*(Owner to provide name of project and other identifying information)*

**UNIT PRICES: This form shall be used for any and all work required by the Bidding Documents and described as unit prices. Amounts shall be stated in figures and only in figures.**

DESCRIPTION: <input checked="" type="checkbox"/> Base Bid or <input type="checkbox"/> Alt.# <u>N/A</u> Pre-Construction Survey (Phase 2)				
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION ( <i>Quantity times Unit Price</i> )
013200-01	1	LUMP SUM		

DESCRIPTION: <input checked="" type="checkbox"/> Base Bid or <input type="checkbox"/> Alt.# <u>N/A</u> Pre-Construction Survey (Phase 4)				
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION ( <i>Quantity times Unit Price</i> )
013200-02	1	LUMP SUM		

DESCRIPTION: <input checked="" type="checkbox"/> Base Bid or <input type="checkbox"/> Alt.# <u>N/A</u> Pre-Construction Survey (Phase 5)				
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION ( <i>Quantity times Unit Price</i> )
013200-03	1	LUMP SUM		

DESCRIPTION: <input checked="" type="checkbox"/> Base Bid or <input type="checkbox"/> Alt.# <u>N/A</u> Pre-Construction Video Recording (Phase 2)				
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION ( <i>Quantity times Unit Price</i> )
S001-01	1	LUMP SUM		

DESCRIPTION: <input checked="" type="checkbox"/> Base Bid or <input type="checkbox"/> Alt.# <u>N/A</u> Pre-Construction Video Recording (Phase 4)				
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION ( <i>Quantity times Unit Price</i> )
S001-02	1	LUMP SUM		

DESCRIPTION: <input checked="" type="checkbox"/> Base Bid or <input type="checkbox"/> Alt.# <u>N/A</u> Pre-Construction Video Recording (Phase 5)				
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION ( <i>Quantity times Unit Price</i> )
S001-03	1	LUMP SUM		

DESCRIPTION: <input checked="" type="checkbox"/> Base Bid or <input type="checkbox"/> Alt.# <u>N/A</u> Utility/Pipeline Oversight and Coordination				
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION ( <i>Quantity times Unit Price</i> )
740-04	1	LUMP SUM		

DESCRIPTION: <input checked="" type="checkbox"/> Base Bid or <input type="checkbox"/> Alt.# <u>N/A</u> Temporary Signs and Barricades				
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION ( <i>Quantity times Unit Price</i> )
713-01	1	LUMP SUM		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid or <input type="checkbox"/> Alt.# <u>N/A</u> Temporary Silt Retention System (Silt Fencing)			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION ( <i>Quantity times Unit Price</i> )
204-06	2,400	LINEAR FOOT		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid or <input type="checkbox"/> Alt.# <u>N/A</u> Traffic Maintenance Surfacing (610 Limestone)			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION ( <i>Quantity times Unit Price</i> )
402-03-01	1,500	TON		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid or <input type="checkbox"/> Alt.# <u>N/A</u> Traffic Maintenance Surfacing (3 x 1 Limestone)			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION ( <i>Quantity times Unit Price</i> )
402-03-02	500	TONS		

**Wording for “DESCRIPTION” is to be provided by the Owner. All quantities are estimated. The contractor will be paid based upon actual quantities as verified by the Owner**

---

**PART III - ATTACHMENTS**

**Revised Section 201 – Clearing and Grubbing**

---



**BAYOU TERREBONNE DREDGING  
PROJECT (PHASES 2, 4, &5)  
TECHNICAL SPECIFICATIONS  
CLEARING AND GRUBBING  
SECTION NO. 201**



**TABLE OF CONTENTS**

1.0 INTRODUCTION .....	1
1.1 SCOPE .....	1
2.0 REFERENCES .....	1
2.1 CODES AND STANDARDS .....	1
3.0 EXECUTION.....	1
3.1 GENERAL REQUIREMENTS.....	1
3.2 CLEARING.....	1
3.3 GRUBBING.....	2
3.4 DISPOSAL OF DEBRIS .....	3
4.0 MEASUREMENT AND PAYMENT .....	3



**BAYOU TERREBONNE DREDGING  
PROJECT (PHASES 2, 4, &5)  
TECHNICAL SPECIFICATIONS  
CLEARING AND GRUBBING  
SECTION NO. 201**



## **1.0 INTRODUCTION**

### **1.1 Scope**

The work covered by this section consists of furnishing all plant, labor, equipment, and materials, and performing all operations necessary for the clearing and grubbing of the areas specified herein or as indicated on the drawings, for the removal and disposal of all cleared and grubbed materials, and for the filling of all holes caused by grubbing operations, as specified herein.

Clear, grub, and remove vegetation and debris within the limits of the right-of-way and easement areas, except such items that are designated to remain or to be removed under other pay items.

Cut trees, logs, brush, stumps and debris; excavate and remove stumps, roots, submerged logs, snags, and other vegetative or objectionable material; dispose removed material at the Ashland Landfill as required under project permit; and clean the area.

## **2.0 CONSTRUCTION REQUIREMENTS**

Trees designated to remain shall be preserved and protected by means of limited impact, or special treatment as directed by the ENGINEER.

### **2.1 Codes and Standards**

Louisiana Department of Transportation and Development (LADOTD)

Section 201	Louisiana Standard Specifications for Roads and Bridges; "Clearing and Grubbing"
Section 202	Louisiana Standard Specifications for Roads and Bridges; "Removing and Relocating Structures and Obstructions"

## **3.0 EXECUTION**

### **3.1 General Requirements**

All clearing and grubbing work for dredging site(s) shall be completed in advance of all dredging operations. If re-growth of vegetation or trees occurs after clearing and grubbing, and before dredging, the CONTRACTOR will be required to clear and grub the area again prior to dredging, and no payment will be made for this additional clearing and grubbing work.

### **3.2 Clearing**

#### **3.2.1 *General***

Clearing, unless otherwise specified, shall consist of the complete removal above the ground surface except as indicated below of all trees, stumps, down timber snags, brush, vegetation, old piling, loose stone, abandoned structures, fencing, existing drainage structures, and similar debris.

#### **3.2.2 *Areas to be Cleared***

Areas to be cleared include the area in all access points that need to be cleared in order to enter Bayou Terrebonne for dredging purposes.

**BAYOU TERREBONNE DREDGING  
PROJECT (PHASES 2, 4, &5)  
TECHNICAL SPECIFICATIONS  
CLEARING AND GRUBBING  
SECTION NO. 201**

### 3.2.3 *Merchantable Timber*

Merchantable timber remaining within the areas to be cleared on or after the date of award of this contract may be disposed of as the CONTRACTOR sees fit, as long as such merchantable timber is either removed from the right-of-ways indicated on the drawings or is satisfactorily disposed of in accordance with the provisions of paragraph "DISPOSAL OF DEBRIS."

### 3.2.4 *Trees*

Trees shall be felled in such a manner as to avoid damage to trees to be left standing, to existing structures and installations and to those under construction, and with due regard for the safety of employees and others.

### 3.2.5 *Miscellaneous Structure Foundations and Debris*

The CONTRACTOR shall also remove all abandoned foundations, debris, and other materials which remain after buildings or other structures have been removed.

## 3.3 Grubbing

### 3.3.2 *General*

Grubbing shall consist of the removal of all stumps, roots, buried logs, old pilings, old paving including base and subbase materials, old foundations, pipes, drains, and other unsuitable matters.

### 3.3.3 *Areas to be Grubbed*

Grubbing shall be performed within the limits of Bayou Terrebonne. All roots and other projections over 1-1/2-inches in diameter shall be removed to a depth of 3-feet below the natural surface of the ground or surface of existing embankments and to a depth of 3-feet below the subgrade for the foundation of structures. The areas to be grubbed are those specific areas within the limits specified hereinabove from which trees, stumps, down timber, snags, old piling, abandoned structures, and other projections have been removed.

### 3.3.4 *Filling of Holes*

All holes caused by grubbing operations and removal of pipes and drains above the waterline shall be backfilled with an inorganic clay fill material in 12-inch layers to the elevation of the adjacent ground surface, and each layer compacted to a density at least equal to that of the adjoining undisturbed material.

## 3.4 Leaners and Hangers

### 3.4.1 *Removal From Site of Work*

The CONTRACTOR shall remove all of the debris from the site of the work. Such disposal shall comply with all applicable Federal, State, and Local laws. The CONTRACTOR shall, at his/her option, either retain for his/her own use or dispose of by sale or otherwise, such materials of value. The ENGINEER is not responsible for the protection and safekeeping of any materials retained by the CONTRACTOR. Such materials shall be removed from the site of the work before the date of completion of the work. All debris from clearing and grubbing operations not retained by the CONTRACTOR shall be hauled off and disposed of at the Ashland Landfill at 277 Ashland Landfill Rd, Houma, LA, 70363 while following applicable laws.

**BAYOU TERREBONNE DREDGING  
 PROJECT (PHASES 2, 4, &5)  
 TECHNICAL SPECIFICATIONS  
 CLEARING AND GRUBBING  
 SECTION NO. 201**

3.5 Disposal of Debris

3.5.1 *Removal From Site of Work*

The CONTRACTOR shall remove all of the debris from the site of the work. Such disposal shall comply with all applicable Federal, State, and Local laws. The CONTRACTOR shall, at his/her option, either retain for his/her own use or dispose of by sale or otherwise, such materials of value. The ENGINEER is not responsible for the protection and safekeeping of any materials retained by the CONTRACTOR. Such materials shall be removed from the site of the work before the date of completion of the work. All debris from clearing and grubbing operations not retained by the CONTRACTOR shall be hauled off and disposed of at the Ashland Landfill at 277 Ashland Landfill Rd, Houma, LA, 70363 while following applicable laws.

**4.0 MEASUREMENT AND PAYMENT**

4.1 Measurement

4.1.1 *Clearing and Grubbing*: Clearing and grubbing will not be measured for payment.

4.1.2 *Removal of Trees\_Leaners and Hangers*: Removal of leaning trees and hanging limbs will not be measured for payment.

4.2 Payment

Price and payment shall constitute full compensation for furnishing all plant, labor, material and equipment and performing all operations necessary for clearing and grubbing of the areas specified herein or indicated on the drawings, for removing and disposing of all cleared and grubbed materials, for filling holes resulting from grubbing operations, for removing leaning trees and hanging limbs, and placing embankment to replace earthen material removed as a result of vegetation removal operation.

Payment for the completed and accepted quantities of clearing and grubbing and removal of trees and hangers will be made at the contract unit prices for the following Bid Items:

Item No.	Pay Items	Pay Units
201-01	Clearing & Grubbing (Phase 2: Sta. 10+67 – Sta. 122+00)	Lump Sum
201-02	Clearing & Grubbing (Phase 4: Sta. 400+00 – Sta. 486+50)	Lump Sum
201-03	Clearing & Grubbing (Phase 5: Sta. 500+00 – Sta. 899+00)	Lump Sum
201-04	Removal of Trees_Leaners & Hangers (Phase 2: Sta. 10+67 – Sta. 122+00)	Lump Sum
201-05	Removal of Trees_Leaners & Hangers (Phase 5: Sta. 500+00 – Sta. 570+00)	Lump Sum

**-END OF SECTION-**

---

**PART III - ATTACHMENTS**

**Access Locations Used by Geotechnical Firm**

---

Access Locations Used by Geotechnical Firm for Bayou Terrebonne Dredging:

1. Oyster Delicacy – Patterson J. Lambas (Owner)
2. Wolfe Holdings – Peter Wolfe (Owner)
3. 7010 Park Ave – Rochelle Cochran (Owner)
4. Emotional Rescue Properties (6690 W Park Ave) – Debra Chauvin (Manager)
5. C&I of Houma (6244 W Park Ave) – Justin Terrebonne (Manager)
6. Urgent Care of Morgan City – Gabriel Beadle (Owner)
7. Marie Enterprises – Richard Marie (Operations Manager)
8. Bayou Cane Realty – David Prevost (Member)
9. Dalton LeBlanc – Dalton LeBlanc (Owner)
10. Neils Small Engine – Neta Wright (Owner)
11. Beacon NDT – Shaun Meissner (General Manager)
12. The Learning Ladder (4443 W Main St) – Tanya Liner (Owner)
13. Dishman Flooring – William J Dishman (Owner)